

Global Medical Engineering (BD) Ltd. Corporate Office:17/2, Topkhana Road (2nd Floor),Dhaka - 1000, Bangladesh. Phone: +88 09678020555 Fax: +88 02 9576881 Cell: +8801404003500 E-mail: info@gmebd.com ; gmebd@hotmail.com Website: www.gmebd.com



VINNO Technology (Suzhou) Co,. Ltd.

5F, A Building, No.27 Xinfa Rd, Suzhou Industrial Park, 215123, China Tel: +86 512 62873806 Fax: +86 512 62873801 Email: vinno@vinno.com Website: www.vinno.com VINNO reserves the rights to revise the technical specifications if needed.





DESIGNED FOR HIGH EXPECTATIONS

Ultrasound wave

VINNO G65 has been designed for high expectations to deliver superior image quality in an affordable premium series. In order to achieve this goal, we provide all users the ideal model that inherits sophisticated image processing technologies and smart solution design from the VLucid platform, which will deliver exquisite image quality, advanced intellectual tools (AI) and efficient workflow for a wide range of applications.


EXQUISITE IMAGE QUALITY

Excellent penetration

Featuring high-performance hardware architecture, G65 delivers the extraordinary image quality with great clarity, superior consistency and excellent penetration

Superior resolution

Up to 25MHz high resolution system capability, adding more than 30% of wideband frequencies to improve resolution and sensitivity for better diagnosis

Sophisticated blood flow sensitivity

The increased color Doppler processing helps to provide more diagnostic confidence with improved blood flow detection and enhanced color performance

VLuminous Flow

An innovative color flow technology which enhances blood flow visualization and provide an impression of 3D-like flow display











ADVANCED FEATURES



Shear wave Elastography (VShear)

A non-invasive method to detect the velocity of the shear-waves propagated through the targeted area and provide quantitative tissue characteristic information

Contrast imaging

The ultrasound contrast agent resonates for the low pressure (MI) ultrasound, thereby enhances the micro-vascular signal with superior spatial resolution. The observed tissue perfusion and its enhancement characteristics are useful in quantitative lesion differentiation.



Automatic Measurement of Arterial Stiffness (AMAS)

AMAS, an automatic tool for cf Pulse Wave Velocity calculation, which is an effective indicator for evaluating arterial stiffness and assessment of early arteriosclerosis



Strain imaging

Strain imaging describes as strain curve the underlying myocardial region abnormality, either in the same or various images, which can better reflect the strength of local myocardial deformation during systole and diastole, thus reflecting the motion abnormality during the cardiac cycle







Free view

Free view obtains any plane from a 3D or 4D volume by simply drawing a line or curve through a structure. This technology enables views of even irregular shaped structures not attainable in 2D imaging



HQ Silhouette

3D/4D Silhouette provides a unique transparent volume image for a more comprehensive internal and external view of the anatomy, thereby enabling intuitive diagnosis with real-time 3D images and enriching patient communication.



ADVANCED FEATURES

Hysterosalpingography (HSG)

sound 3D imaging combined with obubble contrast technology (CBI), iding structure visualization of fallopian s in three dimensional imaging.

STIC

The high resolution acquisition of fetal cardiac volume data, helps to detect morphological anomolies by displaying multiple slices of multiple planes.





VAid (VINNO Artificial Intelligent Detection)

VAid is an AI powered, innovative tool in detecting breast lesions based on the BI_RADS category. Only one touch with 'VAid', it can automatically define the the results can be inserted in the report page







INTELLIGENT SOLUTIONS (AI)

VAim Follicle

An advanced tool for follicle

calculation, which can automatically identify follicles on a given 2D image, draw its boundary with different colors and measures its volume for a rapid assessment, dedicated for women's reproductive healthcare.

VAim Hip

Automatically mark the α and β angle and provide Graf international classification, which is an effective solution for observing the development of neonatal hip joints



INTELLIGENT SOLUTIONS (AI)



VAim OB

Artificial intelligent technologies for fetal biometric measurement and growth analysis, user can activate the measurement items (BPD, OFD, HC, AC, FL, HL) and get the results with one simple touch, which is dedicated to simplify the obstetric ultrasound examinations and improve measurement accuracy.



VAim Ant. Pelvic and VAim Levator Ani

An artificial intelligent technology for pelvic measurement, VAim Levator Ani and Ant.Pelvic, providing pelvic measurement results with one touch, which enable users to assess pelvic structure for postpartum women in an easy and accurate way.



VAim Ant. Pelvic in 2D





VAim Levator Ani in 3D



SEAMLESS WORKFLOW



Background transfer

Archive supports background export without interrupting the actual scan

1	2
(1	าม
2	Kn
7	- I
1	\square

Finger-draw comments

Support to use finger to draw comment in free style, which is very helpful for remote diagnosis or online training

_	
+=	
_	
_	

VReport

As a customer-centric tool, VReport allows users to define and import the report template, and then the system will auto generate related measurement items based on the imported template, which can greatly improve the work efficiency





VINNO HOSPITAL

			BREA	ST ULTRA	SOU	ND RE	PORT				
NAME	VR BREAST				GENDER			Female		AGE	50y
ATIENT ID	NT ID 20200919001				EXAM DATE 19-09-3			REF	DR		
CLINICAL HISTO	RY Palp	sable lump						_			
				BREAS	TLES	ION		_			
Lesion 1 (R)	ength	3.01cm	Width				2.39cm	m Dist. to M		lipple 1.76cm	
	-				-						
			BRE	ASTLESK	N DE	SCRIPTI	ON				
Lesion 1 (R)											
Location @ clock			Location region		anterior		-	Shape		oval	
Margin	circumscribed		Orientation		parallel			Echo-pattern		hypoechoic	
Posterior Echo no features		calcific		no calcification		_	Associate info		vascularity no		
Additional Info			US BL	RADS	BI-RADS 1		U	US-Elastography		0.45	
				LYMP	H NOT	MF.		_			
					22cm Height 2.58cm Cort. Thick. 1.72cm						
-Juden noor i fe	4 leans	ar provent	1			lound	-	v	lear	model .	
	RIGI	HT BREAST			1			LEFT	BREAST		
4	X	$ \langle$				a	K		7/		-